

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S18	385	717/105.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:06
S20	241926	(function\$3 with block\$1) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:07
S21	110567	(function\$3 adj block\$1) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:07
S22	17	S21 and (defintion\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:09
S23	2598	(function\$3 adj block\$1) and @ad< "20040312" and "700"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:10
S24	83	(function\$3 adj block\$1) and @ad< "20040312" and "700"/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:10
S25	169	(function\$3 adj block\$1) same (definition header\$1) same (instance object\$1) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:21
S26	15	(function\$3 adj block\$1) same (definition header\$1) same (instance object\$1) and @ad< "20040312" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:21
S27	2193	(function\$3 adj block\$1) with (instance object\$1) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:02

S28	1331	(display\$3 graph\$3) and (function\$3 adj block\$1) with (instance object\$1) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:03
S29	36	(display\$3 graph\$3) and (function\$3 adj block\$1) with (instance object\$1) with (definition) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:03
S30	19	(graph\$3) and (function\$3 adj block\$1) with (instance object\$1) with (definition) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:10
S31	2193	((function\$3 adj block\$1) with (instance object\$1)) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:12
S32	1285	creat\$3 and ((function\$3 adj block\$1) with (instance object\$1)) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:13
S33	133	graph\$3 same ((function\$3 adj block\$1) with (instance object\$1)) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:13
S34	1	graph\$3 same ((function\$3 adj block\$1) with (instance object\$1)) and @ad< "20040312" and 717/105,113.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:13
S35	16	graph\$3 same ((function\$3 adj block\$1) with (instance object\$1)) and @ad< "20040312" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:18
S36	0	graph\$3 same ((function\$3 adj block\$1) with (instance object\$1)) and ((function\$3 adj block\$1) with (definition))and @ad< "20040312" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:22
S37	1	graph\$3 same ((function\$3 adj block\$1) with (instance object\$1)) and ((function\$3 adj block\$1) with (definition))and @ad< "20040312" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:22

S38	13	graph\$3 same ((function\$3 adj block\$1) with (instance object\$1)) and ((function\$3 adj block\$1) with (definition))and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:22
S39	4	("6868538").URPN.	USPAT	OR	OFF	2008/09/18 19:25
S40	6	((function\$3 adj block\$1) with (instance object\$1)) and ((function\$3 adj block\$1) with (definition))and @ad< "20040312" and 700/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 19:36
S41	217	edit\$3 same (ladder with (logic diagram)) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:35
S42	25	edit\$3 same (ladder with (logic diagram)) and @ad< "20040312" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 14:35
S45	19	("4802116").URPN.	USPAT	OR	OFF	2008/09/19 15:44
S46	4	("5777869").URPN.	USPAT	OR	OFF	2008/09/19 15:53
S47	18	(display\$3 graph\$3) same (ladder with (logic diagram tree)) and (instance object \$1) and (class definition header) and @ad< "20040312" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 15:57
S48	8	(display\$3 graph\$3) with (instace\$1 object\$1) same (ladder with (logic diagram)) and @ad< "20040312" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 16:13
S50	34	(display\$3 graph\$3) with (instace\$1 object\$1) same (ladder with (logic diagram)) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 16:34
S53	70	("5801942").URPN.	USPAT	OR	OFF	2008/09/19 16:44
S54	4	(display\$3 graph\$3) with (instace\$1 object\$1) with (definition) same (ladder with (logic diagram)) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 16:47

S55	290	"3665172"	"3810119"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/19 16:49
		"3825905"	"4006464"				
		"4096566"	"4276593"				
		"4302820"	"4312068"				
		"4323966"	"4347563"				
		"4410942"	"4413314"				
		"4423486"	"4428044"				
		"4435762"	"4443861"				
		"4456997"	"4466098"				
		"4471457"	"4488226"				
		"4493027"	"4609995"				
		"4615001"	"4628437"				
		"4639852"	"4641269"				
		"4641276"	"4648064"				
		"4649479"	"4663704"				
		"4672530"	"4675812"				
		"4682158"	"4682304"				
		"4683530"	"4692859"				
		"4692918"	"4703421"				
		"4704676"	"4709325"				
		"4719593"	"4727477"				
		"4733366"	"4742349"				
		"4750109"	"4790762"				
		"4805107"	"4816996"				
		"4817094"	"4872106"				
		"4897777"	"4910658"				
		"4910691"	"4918690"				
		"4958277"	"4959774"				
		"4965717"	"4965742"				
		"4965880"	"4991170"				
		"5008805"	"5050165"				
		"5068778"	"5121318"				
		"5122948"	"5124908"				
		"5129087"	"5131092"				
		"5134574"	"5136704"				
		"5138708"	"5140677"				
		"5146589"	"5151978"				
		"5151981"	"5159673"				
		"5162986"	"5163055"				
		"5164894"	"5166685"				
		"5168276"	"5168441"				
		"5175829"	"5193175"				
		"5202961"	"5212784"				
		"5233615"	"5245704"				
		"5251125"	"5255367"				
		"5258999"	"5271013"				
		"5283729"	"5289365"				
		"5295258"	"5297143"				
		"5302952"	"5303227"				
		"5303375"	"5303392"				
		"5307346"	"5307372"				
		"5307463"	"5309556"				
		"5317726"	"5335221"				
		"5347181"	"5349343"				
		"5352033"	"5359721"				
		"5367640"	"5371895"				
		"5377315"	"5381529"				
		"5384910"	"5390321"				
		"5392389"	"5394522"				

"5398331"	"5400140"
"5408603"	"5410717"
"5420977"	"5426732"
"5428734")	PN. OR
("5428781"	"5432711"
"5434997"	"5437007"
"5442639"	"5444851"
"5450403"	"5450425"
"5450764"	"5451939"
"5452201"	"5457797"
"5459825"	"5459839"
"5461710"	"5463735"
"5467264"	"5475856"
"5481741"	"5483660"
"5485620"	"5490276"
"5491791"	"5493534"
"5500934"	"5504672"
"5504902"	"5509811"
"5513095"	"5513192"
"5513354"	"5517655"
"5519605"	"5519701"
"5522044"	"5530643"
"5539909"	"5544008"
"5549137"	"5550980"
"5551047"	"5555213"
"5555437"	"5555510"
"5559691"	"5559963"
"5566320"	"5568378"
"5572673"	"5576946"
"5579220"	"5579487"
"5581760"	"5586112"
"5586329"	"5586330"
"5587899"	"5594858"
"5594899"	"5596331"
"5596752"	"5598536"
"5598566"	"5600845"
"5604871"	"5611057"
"5613148"	"5617540"
"5621871"	"5623592"
"5627979"	"5629949"
"5630056"	"5630152"
"5642511"	"5649121"
"5655092"	"5659680"
"5664101"	"5664168"
"5671374"	"5676141"
"5680404"	"5680409"
"5682476"	"5687316"
"5701414"	"5708779"
"5719761"	"5726912"
"5727128"	"5732218"
"5737529"	"5742762"
"5748467"	"5751574"
"5752007"	"5752008"
"5752246"	"5754772"
"5758073"	"5758075"
"5761518"	"5764906"
"5768119"	"5768510"
"5774670"	"5777874"
"5790791"	"5793963"

		"5796602" "5797038" "5801770" "5801942" "5805442" "5805922" "5812394" "5815152" "5822220" "5828851" "5831669" "5832418" "5838563" "5838920" "5841360").PN. OR ("5841963" "5844601" "5847957" "5854944" "5862052" "5872992" "5873089" "5874990" "5880775" "5903455" "5909368" "5909586" "5920479" "5930768" "5940294" "5956487" "5960214" "5975737" "5980078" "5982362" "5994998" "5995916" "6014591" "6014612" "6018627" "6026336" "6026352" "6032208" "6035264" "6049775" "6061603" "6078320" "6094600" "6098116" "6115468" "6140911" "6269473" "6345382" "6405210" "RE33162"). PN.				
S56	3	(graph\$3 view\$3 display \$3) with (fb (function adj block\$1)) with (instance\$1 object\$1) with (class\$2 definition) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 17:43
S57	28093606	(graph\$3 view\$3 display \$3) same ((fb (function adj block\$1)) with ladder) with (instance\$1 object\$1) with (class\$2 definition) @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 17:48
S58	0	(graph\$3 view\$3 display \$3) same ((fb (function adj block\$1)) with ladder) with (instance\$1 object\$1) with (class\$2 definition) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 17:49
S59	3	(graph\$3 view\$3 display \$3) same ((fb (function adj block\$1)) with ladder) same (instance\$1 object \$1) with (class\$2 definition) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 17:50

S60	0	(graph\$3 view\$3 display \$3) with (instance\$1 object \$1) same (class\$2 definition) same ((fb (function adj block\$1)) with ladder) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 17:51
S61	156	(graph\$3 view\$3 display \$3) with (hirarch\$3) ((fb (function adj block\$1)) with ladder) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 17:52
S62	0	(graph\$3 view\$3 display \$3) with (hirarch\$3) with ((fb (function adj block\$1)) with ladder) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 17:52
S63	31	(graph\$3 view\$3 display \$3) with ((fb (function adj block\$1)) with ladder) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 17:52
S64	2	(graph\$3 view\$3 display \$3) with ((fb (function adj block\$1)) with ladder) with tree and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 18:06
S65	20	(graph\$3 view\$3 display \$3) with tree with ((function adj block) FB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 18:11
S66	0	(graph\$3 view\$3 display \$3) with tree with ((function adj block) FB) with (instance\$1 object\$1) same (class\$2 parent\$1 abstract) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 18:17
S67	0	(graph\$3 view\$3 display \$3) with tree with ((function adj block) FB) same (instance\$1 object \$1) same (class\$2 parent \$1 abstract) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 18:18
S68	0	(graph\$3 view\$3 display \$3) with tree with ((function adj block) FB) and (instance\$1 object\$1) same (class\$2 parent\$1 abstract) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 18:18

S69	1	(graph\$3 view\$3 display \$3) with tree with ((function adj block) FB) and (instance\$1 object\$1) and (class\$2 parent\$1 abstract) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 18:18
S70	0	(graph\$3 view\$3 display \$3) with tree with (function adj block) with (instance\$1 object\$1) with (class\$2 definiton) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 18:20
S71	2	(graph\$3 view\$3 display \$3) with (function adj block) with (instance\$1 object\$1) with (class\$2 definiton) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 18:20
S72	2	(graph\$3 view\$3 display \$3) with ((function ladder sequence) adj block) with (instance\$1 object\$1) with (class\$2 definiton) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 18:23
S74	43	(display\$3 graph\$3 view \$3) with (instace\$1 object \$1) with (class\$2 parent\$1 definition) and (ladder with logic) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/19 18:40
S78	9	(graph\$3 view\$3 display \$3) with tree with ((function adj block) FB) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 13:45
S79	8	("20020004804" "20020129060" "20030121000" "5267145" "5455952" "6507857" "6519617" "6986101").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/25 13:52
S80	18	(graph\$3 view\$3 display \$3) with ((function adj block) FB) and @ad< "20040312" and 700/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 14:02
S81	8	(graph\$3 view\$3 display \$3) with ((function adj block) FB) and (class\$2) and @ad< "20040312" and 700/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 14:02

S82	1	(graph\$3 view\$3 display \$3) with (ladder with logic) and (class\$2 same child) and @ad<"20040312" and 700/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 14:25
S83	16	(graph\$3 view\$3 display \$3) with (ladder with logic) and (class\$2 definition header) and (object\$1 instace\$1 child sub-class \$2) and @ad<"20040312" and 700/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 14:28
S84	0	(graph\$3 view\$3 display \$3) with (ladder with logic) same (class\$2 definition header) same (object\$1 instace\$1 child sub-class \$2) and @ad<"20040312" and 700/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 14:28
S85	4	(graph\$3 view\$3 display \$3) with (ladder with logic) same (class\$2 definition header) same (object\$1 instace\$1 child sub-class \$2) and @ad<"20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 14:28
S86	4	(graph\$3 view\$3 display \$3) with (((relay with ladder with logic) RLL) (ladder with (logic diagram \$1))) same (class\$2 definition header) same (object\$1 instace\$1 child sub-class\$2) and @ad<"20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 14:55
S87	8435	(graph\$3 view\$3 display \$3) with (class\$2 definition header) same (object\$1 instace\$1 child sub-class \$2) and @ad<"20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 14:56
S88	6416	(graph\$3 view\$3 display \$3) with (class\$2 definition header) with (object\$1 instace\$1 child sub-class \$2) and @ad<"20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 14:57
S89	11	(graph\$3 view\$3 display \$3) with (class\$2 definition header) with (object\$1 instace\$1 child sub-class \$2) and @ad<"20040312" and 700/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 14:57
S91	1	(graph\$3 view\$3 display \$3) with (tree hierachical) with (ladder with logic) and @ad<"20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:04

S92	0	(graph\$3 view\$3 display \$3) with (parent)with child with (ladder with logic) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:07
S93	4	(graph\$3 view\$3 display \$3) with (parent)with child and (ladder with logic) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:07
S94	11	(graph\$3 view\$3 display \$3) with (class\$2 definition header) same (object\$1 instance\$1 child sub-class \$2) and @ad< "20040312" and 700/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:12
S95	1	(graph\$3 view\$3 display \$3) with ((function adj block) with (header definition class\$2 parent\$1 librar\$3)) same ((function adj block) with (object\$1 instance\$1 child\$3 sub-class\$2)) and @ad< "20040312" and 700/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:26
S96	6	(graph\$3 view\$3 display \$3) with ((function adj block) with (header definition class\$2 parent\$1 librar\$3)) same ((function adj block) with (object\$1 instance\$1 child\$3 sub-class\$2)) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:26
S97	15855	(graph\$3 view\$3 display \$3) with (header definition class\$2 parent\$1 librar\$3) same (object\$1 instance\$1 child\$3 sub-class\$2) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:49
S98	11666	(graph\$3 view\$3 display \$3) with (header definition class\$2 parent\$1 librar\$3) with (object\$1 instance\$1 child\$3 sub-class\$2) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:49
S99	249	(graph\$3) with (header definition class\$2 parent\$1 librar\$3) with (object\$1 instance\$1 child\$3 sub-class\$2) and @ad< "20040312" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:50

S100	12	(graph\$3) with (header definition class\$2 parent\$1 librar\$3) with (object\$1 instance\$1 child\$3 sub-class\$2) and @ad< "20040312" and "717"/105.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:50
S101	1	(graph\$3) with (header definition class\$2 parent\$1 librar\$3) with (object\$1 instance\$1 child\$3 sub-class\$2) and @ad< "20040312" and "700"/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 15:53
S104	65	("5247693").URPN.	USPAT	OR	OFF	2008/09/25 19:54
S105	2721	Omron and @ad< "20040312"	USPAT	OR	OFF	2008/09/25 20:09
S106	0	Omron and @ad< "20040312" and (funtion adj block\$1)	USPAT	OR	OFF	2008/09/25 20:09
S107	14	Omron and @ad< "20040312" and (function adj block\$1)	USPAT	OR	OFF	2008/09/25 20:09
S108	24	Omron and @ad< "20040312" and (function adj block\$1)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:11
S109	1	(graph\$3 graph\$1) with (function with block\$1) same (instance object\$1 event\$1) same (definition header class\$2) and @ad< "20040312"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 21:09
S110	5	(graph\$3 graph\$1) with (function with block\$1) same (instance object\$1 event\$1) same (definition header class\$2) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 21:10
S111	28	(graph\$3 graph\$1 model \$3) with (function with block\$1) same (instance object\$1 event\$1) same (definition header class\$2) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 21:11
S112	20	(graph\$3 graph\$1 model \$3) with (function with block\$1 with (instace\$1 object\$1 event\$1)) and ((function with block\$1) with (defintion\$1 declaration header class \$2)) and @ad< "20040312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 21:32

S113	0	(graph\$3 graph\$1 model \$3) with (ladder with logic) and IDE and @ad< "20040312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 21:38
S114	3	(graph\$3 graph\$1 model \$3) same (ladder with logic) and IDE and @ad< "20040312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 21:38
S115	0	(graph\$3 graph\$1 model \$3) with (function with block\$1 with (instance\$1 object\$1 event\$1)) and ((function with block\$1) with (defintion\$1 declaration header class \$2)) and IDE and @ad< "20040312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 21:39
S116	17	(graph\$3 graph\$1 model \$3) with (function with block) and IDE and @ad< "20040312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 21:40
S117	4	("5777869").URPN.	USPAT	OR	OFF	2008/09/25 22:01
S119	49	(ananlyz\$3 detect\$3 debug \$3) with (ladder with logic) and @ad< "20030314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/27 13:14

9/ 27/ 2008 2:46:06 PM

C:\Documents and Settings\mlee6\My Documents\EAST\Workspaces\10799448_Display_EDIT
_Device\update2.wsp